

WHMIS

WHMIS - Laboratories

On this page

[Does WHMIS apply in laboratories?](#)

[What should I know about products purchased for laboratories?](#)

[What labelling requirements apply for small containers?](#)

[What requirements apply when labelling decanted products?](#)

[What should be done when hazardous products are developed in a laboratory?](#)

[What requirements apply to laboratory samples?](#)

[What are the requirements for Biohazardous Infectious Materials \(BIMs\)?](#)

[What are the requirements for laboratory samples that are biohazardous infectious materials?](#)

Important Information

Canada has aligned the Workplace Hazardous Materials Information System (WHMIS) with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

This document discusses the WHMIS requirements as regulated by the federal legislation – the [Hazardous Products Act](#) and the [Hazardous Products Regulations](#) (HPR). This document reflects the Hazardous Products Regulations requirements as of December 15, 2022. The changes introduced in December 2022 are in force. Suppliers are granted a 3-year transition period (to December 15, 2025) to bring product classifications, safety data sheets and labels into compliance with the amendments.

For most workplaces, the most notable impact will be seen in the changes to the flammable gases class, and the new class of chemicals under pressure.

Health Canada is the government body responsible for the overall WHMIS supplier-related laws. Note that WHMIS is also regulated in the workplace by the provinces, territories and federal (for federally regulated workplaces) governments under their occupational health and safety legislation. While these jurisdictions based their WHMIS regulations on the common model, small variations between jurisdictions may exist.

Suppliers and employers must use and follow the new WHMIS requirements for labels and safety data sheets (SDSs) for hazardous products sold, distributed, or imported into Canada.

Please refer to the following OSH Answers documents for more information about WHMIS:

- [WHMIS – General](#)
- [WHMIS – Pictograms](#)
- [WHMIS – Labels](#)
- [WHMIS – Hazard Classes and Categories](#)
- [WHMIS – Safety Data Sheets \(SDSs\)](#)
- [WHMIS – Education and Training](#)
- [WHMIS – WHMIS Program](#)
- [WHMIS – Glossary](#)
- [WHMIS – Confidential Business Information \(CBI\)](#)
- [WHMIS – Variances](#)

Does WHMIS apply in laboratories?

Yes. WHMIS applies to hazardous products that are used, handled, or stored in all Canadian workplaces, including those found in laboratories. However, there are some unique circumstances that can apply to hazardous products in a laboratory setting. Some of these situations are treated differently with respect to hazard communication requirements – each of the following situations will be discussed in this document:

- products purchased for laboratories
- small containers
- decanted products
- hazardous products developed in a laboratory
- laboratory samples
- biohazardous infectious materials

Other situations may also be relevant in a laboratory. For situations not covered by this document, please consult with the WHMIS regulations and/or your jurisdiction for more information.

Note that while in certain circumstances some hazardous products may be exempt from the WHMIS requirements for a label or SDS, employers must still provide education and training on the hazards, safe use, and storage of these products.

What should I know about products purchased for laboratories?

Laboratories often use a variety of hazardous products. Unless an exemption applies, as outlined below, these products must be provided with WHMIS supplier labels and safety data sheets (SDSs). Suppliers must provide these documents to laboratories when products are purchased.

It is a good practice to have an up-to-date inventory of all laboratory products, and to fully review each SDS that arrives to ensure that workers are fully trained to safely handle, use, and store these products.

What labelling requirements apply for small containers?

Supplier labels for hazardous products in small containers may carry less information. Containers with a capacity of 100 ml or less are not required to have hazard statements or precautionary statements on the label.

Labels on containers with a capacity of 3 ml or less can be designed to be removed at the workplace if the label interferes with the normal use of the product. The label must remain durable and legible while the product is stored and transported.

Figure 1 – Example of a Small Container Label

Product SHO-K1 / Produit SHO-K1



Danger

Danger

ABC Chemical Co., 123 rue Anywhere St., Mytown, ON NON ONO (123) 456-7890

What requirements apply when labelling decanted products?

Decanting is a common laboratory practice where a hazardous product may be transferred or poured into another container. A workplace label is required:

- if the product is not used immediately,
- if more than one person will be in control of the product, or
- if the product is not used up during the shift in which it was decanted.

The following information must be present on a workplace label:

- Product name (matching the SDS product name).
- Safe handling precautions (may include pictograms or other supplier label information).
- A reference to the SDS (if available).

More information on labels is available in the OSH Answers document [WHMIS - Labels](#).

What should be done when hazardous products are developed in a laboratory?

If products developed in the laboratory will be used, handled, or stored in a workplace and if these products meet any of the criteria for the WHMIS hazard classes, the laboratory must classify the product hazards and provide a label and SDS.

For many newly created products, the hazards of the product may be unknown until testing is completed. In this case, the newly created product may be treated as a laboratory sample until it is analyzed and evaluated.

What requirements apply to laboratory samples?

For hazardous products sent to the laboratory for analysis or for products that are in the process of being developed, exemptions could apply if certain conditions are met. A laboratory sample is defined as a sample of a hazardous product that:

- is packaged in a container that contains less than 10 kilograms of the hazardous product,
- is intended solely to be tested in a laboratory, and
- does not include a sample that is to be used by a laboratory for testing other products or for educational or demonstration purposes.

Examples of laboratory samples include:

- samples for quality control testing,

- samples provided for the development of industrial processes,
- diagnostic specimens (e.g., blood or tissue samples), and
- industrial hygiene samples.

Laboratory samples do not require an SDS if they are transferred for a specific purpose to a laboratory without ownership change ("bailed") and:

- the chemical name and concentration of the hazardous product or its ingredients are not known, or
- the hazardous product is not yet available on the market (i.e., has not been offered or exposed for transfer of ownership).

"Bailed" means transfer of possession without transfer of ownership. In this situation, the laboratory does not own the laboratory sample, but has possession of the sample while conducting testing on behalf of the owner.

Reduced information on the **label** of a laboratory sample that is transferred without transferring ownership (bailed) is accepted when the sample is:

- a substance where the chemical name is not known
- a mixture where the chemical name of one or more of its ingredients is not known, or where the concentration of one or more of its ingredients is not known
- where the supplier has not offered or exposed the hazardous product for transfer of ownership

At a minimum, a laboratory sample must be labelled with the following information (see also Figure XYZ):

- the chemical name or generic chemical name of the substance, if it is known by the supplier,
- the chemical name or generic chemical name of any ingredient in a mixture that is in the laboratory sample, if known by the supplier, and
- the statement "Hazardous Laboratory Sample. For hazard information or in an emergency call / Échantillon pour laboratoire de produit dangereux. Pour obtenir des renseignements sur les dangers ou en cas d'urgence, composez ..." followed by an emergency telephone number for the person who can provide information that would be required on the SDS.

Figure 2 – Example of a Laboratory Sample Label

XYZ Sample

XYZ Company, 123 Anywhere St.,
Toronto, ON

Contains: Toluene
and Sulfuric Acid

Hazardous Laboratory Sample
For hazard information or in
an emergency call: (306) 555-5555

What are the requirements for Biohazardous Infectious Materials (BIMs)?

WHMIS has a hazard class for biohazardous infectious materials (BIMs).

BIMs are micro-organisms (e.g., bacteria, viruses, fungi, and parasites), nucleic acids, or proteins that cause or probably cause infection in people or animals. In Canada, hazardous products that meet the criteria for classification in this hazard class must have a nine-heading appendix to the SDS to provide information specific to the biohazard (see Table 1). This hazard class was retained from WHMIS 1988.

There are variations and exceptions that apply to labels and SDSs for BIMs used in the laboratory.

BIM SDS

A full supplier label and a 16-section SDS with a 9-section appendix is required when a laboratory receives a hazardous product that is classified as a BIM. This requirement applies to a hazardous product that is only classified as a BIM or that is classified as a BIM and another hazard class. The requirement is the same whether the BIM product was purchased or imported into the lab, or bailed from an owner.

Laboratory workers should be aware that there are Pathogen Safety Data Sheets available for pathogens at the [Public Health Agency of Canada](#) website. These pathogen safety data sheets are technical documents that describe the hazardous properties of the pathogen and provide recommendations for work involving these agents in a laboratory setting. Note that work involving pathogens in Canada may require compliance with international, national, and provincial laws and guidelines.

Table 1
Additional information elements on SDS – Biohazardous Infectious Materials

Item	Heading	Specific Information Element
1	Section I – Infectious Agent	<ul style="list-style-type: none"> • Name • Synonym or cross-reference • Characteristics
2	Section II – Hazard Identification	<ul style="list-style-type: none"> • Pathogenicity/toxicity • Epidemiology • Host range • Infectious dose • Mode of transmission • Incubation period • Communicability
3	Section III – Dissemination	<ul style="list-style-type: none"> • Reservoir • Zoonosis • Vectors
4	Section IV – Stability and Viability	<ul style="list-style-type: none"> • Drug susceptibility/resistance • Susceptibility to disinfectants • Physical inactivation • Survival outside host
5	Section V – First Aid/Medical	<ul style="list-style-type: none"> • Surveillance • First aid/treatment • Immunization • Prophylaxis
6	Section VI – Laboratory Hazard	<ul style="list-style-type: none"> • Laboratory-acquired infections • Sources/specimens

Table 1 Additional information elements on SDS – Biohazardous Infectious Materials		
Item	Heading	Specific Information Element
		<ul style="list-style-type: none"> • Primary hazards • Special hazards
7	Section VII – Exposure Controls /Personal Protection	<ul style="list-style-type: none"> • Risk group classification • Containment requirements • Protective clothing • Other precautions
8	Section VIII – Handling and Storage	<ul style="list-style-type: none"> • Spills • Disposal • Storage
9	Section IX – Regulatory and Other Information	<ul style="list-style-type: none"> • Regulatory information • Last file update (<i>date</i>) • Prepared by (<i>name of author</i>)

What are the requirements for laboratory samples that are biohazardous infectious materials?

There are exemptions that apply if the biohazardous infectious materials (BIM) is a laboratory sample (see Table 1). Biohazardous infectious material laboratory samples have different SDS or label requirements in these situations:

Table 2 Biohazardous Infectious Materials – Laboratory sample exemptions for SDS and Label			
Laboratory sample	Type	SDS	Supplier Label
Only classified as a BIM	Sold or imported (i.e., transfer of ownership)	No SDS required	Reduced label required
Only classified as a BIM	Bailed (transfer of possession, not ownership)*	No SDS required	No label required
Classified as BIM and any other hazard class	Sold, imported or bailed	Full 16-section SDS plus 9-section appendix required	Full label required

* Note that this exemption does not apply to cross-border shipments.

The reduced label requirements for a laboratory sample that is sold or imported and is **only** classified as a BIM are:

- the product identifier,
- the chemical name or generic chemical name of any material that is in the hazardous product and that is classified as a biohazardous infectious material if known by the supplier, and
- the initial supplier identifier, and
- the statement "Hazardous Laboratory Sample. For hazard information or in an emergency call / Échantillon pour laboratoire de produit dangereux. Pour obtenir des renseignements sur les dangers ou en cas d'urgence, composez ..." followed by an emergency telephone number for the person who can provide information that would be required on the SDS.

Hazardous wastes that are contaminated by BIMs are still treated as hazardous wastes and are exempt from WHMIS label and SDS requirements.

Fact sheet last revised: 2023-03-30

Disclaimer

Although every effort is made to ensure the accuracy, currency and completeness of the information, CCOHS does not guarantee, warrant, represent or undertake that the information provided is correct, accurate or current. CCOHS is not liable for any loss, claim, or demand arising directly or indirectly from any use or reliance upon the information.